



***OTP* Document**



1. API AUTHENTICATION

BASIC HTTP AUTHENTICATION

Key	Type	Description
SID	String	This is API User Name for Authentication
Token	String	This is API User Name for Authentication



2. OTP SEND MESSAGE

POST URL: <http://api.smsbrix.com/vl/otp/send>

Parameters	Type	Description
senderid	String	This is message from address
number	Integer	This is destination number
message	String	Message content with OTP Tag {OTP}
expiry	Integer	Mention the Expiry of OTP in minutes (Max Value:60)

RESULT:

```
{
  "status": "success",
  "balance":41,
  "total_messages": 1,
  "cost":1,
  "otpId":"d2aa809c-b26b-4329-800f-b5f3b50d90a4"
}
```

Message Body Example:

You had successfully register in our system your otp is {otp}.
This otp is valid only for 15min

Message Received on Mobile:

You had successfully register in our system your otp is 132547.
This otp is valid only for 15min



3. OTP Verification

POST URL: <http://api.smsbrix.com/vl/otp/verify>

Attribute	Type	Description
otp	Integer	OTP Received on Phone
otpId	UUID	d2aa809c-b26b-4329-800f-b5f3b50d90a4

RESULT:

```
{
  "status": "Success",
  "otpId": "27348653-bde3-4cc6-a59a-4368155aa140"
}
```